

STEELPAINT



Steelpaint is a German coatings company located in Kitzingen, Germany producing high-performance single-component coatings based on polyurethane. These products are marketed worldwide under the Stelpant and Stelcatec brands, registered trademarks, for use in marine & offshore and hydraulic & civil structural engineering.

Tried-and-tested Steelpaint coating solutions:

Reliable – long-lasting – extremely hard-wearing – protecting vessels and structures anywhere, from the arctic to the tropics! Steelpaint MCPU products are suitable for application at temperatures ranging from -5°C to +50°C and at air humidity levels of up to 98 %.

All too often, two-component coatings suffer as a result of mistakes made during mixing or go to waste because the reaction time has been exceeded. Our MCPU coatings overcome both these problems, and can be applied using brushes, rollers or airless spraying.

For us, quality knows no bounds. We work around the globe to produce solutions to individual needs. Protection made in Germany. For over 40 years, Steelpaint has been delivering high-quality solutions for all manner of coating needs.



SP-PUR-ZINCING

Our solutions for the shipping industry at a glance

- Cargo and container holds
- Hull areas
- Deck areas
- Crew maintenance





04 CARGO I CONTAINER HOLDS **CATHODIC** ZINC PROTECTION FOR CARGO HOLDS Steelpaint MCPU coatings can even withstand high levels of mechanical strain. Cargo and Container holds including the tank tops and lower hoppers coated with Steelpaint SP-PU-ZINC primer are perfectly protected from corrosion.

FAST DRYING TIMES

The high zinc content of the **Stelpant-PU-Zinc** provides cathodic protection whenever applied on steel. That protection can be put to excellent use on the outer hull areas effectively preventing corrosion damages.

Our zinc-rich primer is recoatable with itself over its lifetime and allows for easy smart-repair at subsequent dry-dockings. It also offers high compatibility to various top-coats and anti-foulings without the need of an additional tiecoat.







EASY APPLICATION BY BRUSH AND ROLLER

Easy application and high surface tolerance have convinced many international shipping companies to use our Stelpant-PU-Zinc for regular crew maintenance during voyages as well.

Intercoat adhesion is always problem-free, even when there are long intervals between the coating applications. Lifecycles of up to 15 years are possible with easy touch up repairs during the whole cycle. The single component formulation does not require mixing before application and pot-life is irrelevant.

Steelpaint products have stood the test of time in hydraulic engineering and shipbuilding applications. Our moisture-cured polyurethane (MCPU) products are even suitable and reliable, long-lasting



LOCAL IN THE WORLD YOU PARTNER FOR SHIPREPAIR AND CONVERSION

Germania Shipyard Agency GmbH

20095 Hamburg

Schauenburgerstr. 35 E-Mail: germania@shipyard-agency.de Telefon: +49 (0) 40 300 87 799







Yinlong Li, Head of Chinese Branch



Dmitry Gromilin, Chief Technical Supervisor



Frank Mueller, Sales Director



Fynn Baumfalk, Kev Account Manager

STEELPAINT

CONTACT US

STEELPAINT GMBH

Am Dreistock 9 · 97318 Kitzingen Phone: +49 (0) 9321 37040 E-Mail: mail@steelpaint.com What's more, we support our clients on-site to provide solutions to their needs, analyzing their specific anticorrosion requirements and developing tailor-made concepts, after which our application engineers assist throughout the coating process.

Our references from satisfied customers all over the world speak for themselves. Ask us for details.

