




SHIPPING

**Measurement
Management & Treatment
Performance Monitoring**

Aquametro design to measure and maintain your performance

- » Measure performance and fuel consumption on any type of vessel
- » Our modular designed product range ensures that you can easily combine and extend your applications with our suitable subsystems



MEASUREMENT

1 CONTOIL® Fuel oil meters

- » Precision flow meters
- » Integrated temperature sensor
- » Mass signal output

2 AOM-CM Coriolis Meter

- » Torsion oscillator design assures stable and drift free measurement
- » Resilient to external noise and vibration

3 Viscomaster™ Sensor

- » Accurate viscosity measurement for perfect combustion
- » Minimum maintenance
- » Easy retrofit

4 Shaft Power Meter (SPM) & SHaPoLi

- » Torque measurement
- » Propulsion efficiency
- » SHaPoLi - shaft power limitation
- » DNV type approved

MANAGEMENT & TREATMENT

5 Viscosity Control System

- » Accurate viscosity control for perfect combustion
- » Minimum maintenance
- » Easy retrofit

6 GreenBLEND

- » Automated changeover and / or blending system
- » DNV type approved
- » Complete fuel management system

7 Homogenizer & WFE

- » Prevents sludge and filter clogging
- » Helps to reduce wear and tear
- » Reduces deposits in engine hot parts

PERFORMANCE MONITORING

8 Fuel Performance System (FPS) / Remote Monitoring System (RMS)

- » Fuel efficiency
- » CO₂ emission reporting
- » Trends, analysis, reporting
- » KPI's free to configure



info@aquametro-oil-marine.com
www.aquametro-oil-marine.com

Aquametro Oil & Marine AG
CH-4106 Therwil, Switzerland
Phone +41 61 725 44 00

Aquametro Oil & Marine GmbH
DE-18119 Rostock, Germany
Phone +49 381 382 530 00

VD 7-100 e 01.2024
The english version shall prevail. Errors and changes reserved.
All intellectual property rights are exclusively with Aquametro Oil & Marine AG, Switzerland